Fujitsu recommends Windows 11 Pro.



Data Sheet

Fujitsu Tablet STYLISTIC Q7311

Tablet Mobility Meets Notebook Productivity

The FUJITSU Tablet STYLISTIC Q7311 is a highly durable and secure 2-in-1 detachable that meets the demands of today's mobile professionals. Its 33.8 cm (13.3-inch) FHD anti-glare display comes with pen and touch support. The latest 11th generation Intel® Core™ i7 vPro® processor technology and Intel® Thunderbolt™ 4 ensure excellent performance, even when you're on the go.

Combined tablet mobility and notebook productivity in one device - whereever you are The robust IP42 compliant housing with reinforced corners and port caps protects your device from damages, even outside the office.

- Highly durable IP42 compliant housing with reinforced corners
- Port caps that protect the interfaces like the new Intel® Thunderbolt™ 4 from water spills
- Optional backlit keyboard dock with LAN and charging port
- Optional TPU cover for more robustness
- Always connected and instantly ready

Convenience at work

Sign documents legally secure. The pen is automatically charged within seconds when stored in its pen garage, that protects it also from being lost. Ready whenever you need it.

- 33.8 cm (13.3-inch) Full HD anti-glare touch display
- Supporting pen with 4K pressure levels
- Pen garage with inductive charging function

Lean, agile and secure

More freedom to work safely from anywhere at anytime without compromises in security and data protection – integrated IR Cam with Windows Hello support, fingerprint sensor and Smartcard reader protect your device like a mansion.

- Weight starting at 800 grams, the device offers you ultimate portability
- Fingerprint sensor & IR Camera supporting Windows Hello
- Smartcard reader
- Kensington lock support
- Up to 10 hours battery runtime
- Intel® Iris® Xe Graphics















Components

Base unit	STYLISTIC Q7311	
Operating systems		
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.	
Operating system compatible	FREE Upgrade to Windows 11* *Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see aka.ms/windows11-spec).	
Operating system notes	Internet connectivity Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual- Channel Support" at http://support.ts.fujitsu.com.	
Processor	Intel® Core™ i7-1185G7 processor (4 Cores / 8 Threads)	
	Intel® Core™ i5-1145G7 processor (4 Cores / 8 Threads)	
	Intel® Core™ i5-1135G7 processor (4 Cores / 8 Threads) *	
	*Processor only for retail, SMB, education and government	
Hard disk drives (internal)	SSD PCIe, SSD 512GB Value PCIe G3 M.2 FDE, SED	
	SSD PCIe, SSD 512GB MS PCIe G3 M.2 FDE, SED	
	SSD PCIe, SSD 256GB Value PCIe G3 M.2 FDE, SED	
	SSD PCIe, SSD 1TB Value PCIe G3 M.2 FDE, SED	
	SSD PCIe, SSD 1TB MS PCIe G3 M.2 FDE, SED	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery	
Interface add on cards/components (optional)		
4G/ LTE (optional)	(Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)	
Display	33.8 cm (13.3-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare touchscreen, 400 cd/m², 1500:1	
Multimedia		
Camera	Front: HD Cam (0.9MP) with LED Front: IR Cam (0.9MP) supporting Windows Hello with LED Rear: 5M with LED	

Base unit

Base unit	STYLISTIC Q7311
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (min.)	8 GB
Supported capacity RAM (max.)	16 GB
Memory notes	8 GB onboard or 16 GB onboard
	Dual channel support LPDDR4x (4,266 MHz)
LAN notes	Virtual MAC address. LAN connector via optional keyboard docking, cradle or optional USB to LAN adapter.
Integrated WLAN	Intel WiFi 6 AX201 - WLAN, BT, SRD cat. 1

Consultanting			
General system information BIOS version	UEFI Specification 2.7		
BIOS features	InsydeH2O BIOS		
	On board		
Audio type Audio codec	Realtek ALC255		
Audio codec Audio features			
Waterproof / Spillproof	2x digital array microphones, 2x built-in speakers (stereo) IP42		
Disinfectable			
MIL-STD tested	No. solosted MIL CTD 910H tosts passed		
MIL-31D tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.		
Display			
Diagonal Size	33.8 cm (13.3-inch)		
Display Technology	IPS		
Display type	Anti-glare touchscreen		
Display Resolution type	FHD		
Brightness - typical	400 cd/m ²		
Contrast - typical	1500:1		
Viewing angle (h/v) - typical	178°/178°		
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing) Integrated ambient light sensor for automatic backlight adjustment to the working environment. Toughened glass		
Sensors	Ambient Light Sensor Compass Gyroscope Proximity		
Digitizer / Touch Technology	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen		
Pen	AES 4k pressure level Pen garage inductive charging		
Ambient light sensor	Integrated		
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight		
Graphics			
Base unit	STYLISTIC Q7311		
TFT resolution (HDMI)	up to 4,096 x 2,160 @ 60 Hz		
Graphics brand name	Intel® Iris® Xe Graphics (with Dual channel memory)		
Graphics features	4 Display Support (3 external, 1 internal) HDCP support DirectX® 12 OpenGL® 4.5		
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator		
Interfaces			
DC-in	1		
Audio: line-out / headphone	1 (combo port with Audio line-in)		
Audio: line-in / microphone	1 (combo port with Audio line-out)		
Internal microphones	2x digital array microphones		
USB 2.0 total	1		
	1 x Type-A		
03b 3.2 deff1 (3 dbbs) total			
	··		
USB 4.0 Gen3 (20 Gbps) total	1 x Type-C Intel® Thunderbolt™ 4 (with Power Delivery functionality)		
USB 3.2 Gen1 (5 Gbps) total USB 4.0 Gen3 (20 Gbps) total USB Type-C HDMI	··		

Interferen			
Interfaces Memory card slots	1 (USH-I) SD 3.0 Standard		
,	SD/microSD card: 2GB SDHC/microSDHC card: 32GB		
	SDXC/microSDXC card: 2TB		
SmartCard slot	optional		
SIM card slot	1 (Nano-SIM, only for models with integrated 4G/LTE module)		
Interface Module notes	LAN and VGA available via conversion cable.		
Docking connector for Port Replicator	1 (Cradle)		
Kensington Lock support	1		
Port Replicator interfaces (optional)			
	USB Type-C PR	Cradle	
DC-in	1 (19V/90W required)	1 (19V)	
Power on switch	1		
Audio: line-in		1	
Audio: line-out		1	
Audio: comments	1 Combo jack for headset usage		
USB 3.2 Gen1 (5 Gbps) total		3	
DisplayPort	1x V1.2	1	
VGA	1	1	
HDMI text	1		
Interface Notes	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W		
	1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input		
Kensington Lock support	no	1	
Ethernet (RJ-45)	1	1 (10/100/1000)	
Notes	Number of simultaneous used displays and its possible resolutions and frequencies depend on mobile system and display interface type. Please consult always also the manual of the connected client.		
Wireless technologies			
Antennas	2x dual band for WLAN, 2x for LTE, Bluetooth shared with	WLAN	
Bluetooth	V5.1		
Integrated WLAN	Intel WiFi 6 AX201 - WLAN, BT, SRD cat. 1		
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	Import and usage according to country-specific regulations.		
Integrated WWAN	LTE Sierra Wireless EM7421 (Cat.7) - UMTS, LTE		
WWAN notes	Including GPS functionality Import and usage according to country-specific regulations.		
GPS	LTE Connection Manager (if configured with 4G/LTE) Embedded in 4G module if configured with WWAN		
Power supply	2		
AC adapter	19 V / 65 W (3.42 A)		
ne adapter	20 V / 65 W (3.25 A) Type C		
Notes	65W AC Adapter for usage with system/ min. 90W AC Adapter for usage with Cradle		
Rated voltage range	100 V - 240 V (AC Input)		
Rated frequency range	50 Hz - 60 Hz		
1st battery	Li-lon battery 3-cell, 38 Wh		
Battery features	Quick Charge: 80% in 1h		
	Quick Charge: 00 /0 III TH		

Power supply		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bap com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	
Dimensions / Weight / Environmental		
mensions (W x D x H) 315 x 200.9 x 10.5 mm		
	12.4 x 0.79 x 0.42 inch	
Weight	from 0.800 kg slate only, weight of keyboard docking from 0.465 kg	
Weight (lbs)	from 1.75 lbs slate only, weight of keyboard docking from 1.25 lbs	
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)	
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)	
Product	STYLISTIC Q7311	
Germany	GS	
Europe	CE CB	
USA/Canada	FCC (depending on configuration)	
Global	TCO Certified 8.0 EPEAT® Silver (dedicated regions), depending on configuration Microsoft Operating Systems (HCT / HCL entry / WHQL) MIL-STD-810H tested RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment)	
Russia	EAC	
China	CCC	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)	
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) optional CyberLink PowerDVD BD (playback software for Blu-ray Disc™) CyberLink PowerDVD DVD (playback software for DVD) CyberLink YouCam (webcam software) Nero (backup and burning software)	
Additional software (notes)	Use of accompanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.	
Manageability		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 14.0 (depending on processor)	
Manageability software	DeskView Client DeskView Instant BIOS Management	

Inventory Management BIOS Management Driver Management Security Management Alarm Management WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface)	
WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment)	
SMBIOS (System Management BIOS) CIM (Common Information Model) WBEM (Web Based Enterprise Management) BootP (made4you)	
https://www.fujitsu.com/global/products/computing/pc/manageability/	
Kensington Lock support	
Absolute Persistence® technology capable BIOS EraseDisk Trusted Platform Module (TPM 2.0)	
Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Smartcard reader (optional) SystemLock BIOS SmartCard security AuthConductor Client Basic (secure authentication solution)	
The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.	
2 years (for countries within EMEIA)	
Bring-in Service / Collect & Return Service (depending on country)	
http://www.fujitsu.com/warranty	
Subject to availability and following their generic release for the product, bug fixes and function-preserving patcher for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.	
n	
9x5, Onsite Response Time: Next Business Day	

at least 5 years after shipment, for details see https://support.ts.fujitsu.com/

http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Spare Parts availability

Service Weblink

First Thunderbolt™ Port Replicator on the market providing enhanced security and full support of Intel® AMT (vPro®). The universal port can easily connect almost everything with a single cable and high speed-data transfer. This smart workspace solution keeps your desk clean and tidy.	Order Code: FPCPR401BP
Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger.	Order Code: S26391-F3327-L100
Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: S26391-F3397-L100
Recharge your notebook or tablet at work, at home or on the road with this USB Type-C power source easily.	Order Code: S26391-F3326-L502
The FUJITSU USB Type-A to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)	Order Code: S26391-F3398-L840
The tablet stand is designed for STYLISTIC devices like latest STYLISTIC Q7312 and can be used universally. Fits for STYLISTIC Q5 and Q7 and the Type-C as well as the Thunderbolt ™ 4 port replicator can be fixed on the stand.	Order Code: FPCSK769BP
Take your creativity to the next level, with the most natural pen experience with the AES Pen with replacement stylus tips. With pen nibs that are very thin, you can experience the writing and signing behavior of an ink pen. The pen fits in the device's integrated pen garage.	Order Code: S26391-F3389-L500
One Car Adapter fits all. Independent of your mobile device charging method this car adapter will fulfill all major requirements and standards for fast charging vendorbrand-independent notebooks and all mobile devices. The Car Adapter USB-C-QC supports USB PD with PPS, Quick Charge (QC), Apple- and Samsung charge.	Order Code: \$26391-F2613-L630
The protective bump case kit is designed to prevent damages to your STYLISTIC Q7. Openings of the cover allow you to access all ports and buttons whilest the hand strap on the back of the case gives you a firm grip while working with your tablet outside the office. The integrated stand solution enhances your productivity.	Order Code: S26391-F3396-L200
The Folio Cover for the STYLISTIC Q7311 and Q7310 is a thin, tailored protective sleeve for your Fujitsu tablet. It keeps the device safe from damage on the go, and brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip and fits even the device is connected to its keyboard dock. Inclination stand style 120 to 150 degree	Order Code: S26391-F3509-L100
	security and full support of Intel® AMT (vPro®). The universal port can easily connect almost everything with a single cable and high speed-data transfer. This smart workspace solution keeps your desk clean and tidy. Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA. You also can charge your external USB devices without the need of any additional charger. Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options. Recharge your notebook or tablet at work, at home or on the road with this USB Type-C power source easily. The FUJITSU USB Type-A to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product) The tablet stand is designed for STYLISTIC devices like latest STYLISTIC Q7312 and can be used universally. Fits for STYLISTIC Q5 and Q7 and the Type-C as well as the Thunderbolt ™ 4 port replicator can be fixed on the stand. Take your creativity to the next level, with the most natural pen experience with the AES Pen with replacement stylus tips. With pen nibs that are very thin, you can experience the writing and signing behavior of an ink pen. The pen fits in the device's integrated pen garage. One Car Adapter fits all. Independent notebooks and all mobile devices. The Car Adapter USB-C-QC supports USB PD with PPS, Quick Charge (QC), Apple- and Samsung charge. The protective bump case kit is designed to prevent damages to your STYLISTIC Q7. Openings of the cover allow you to access all ports and buttons whilest the hand strap on the back of the case gives you a firm grip while working with your tablet outside the office. The integrated stand solution

Order Code: FPCKG453BP

More information

Fujitsu products, solutions & services

In addition to Fujitsu Tablet STYLISTIC Q7311, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about Fujitsu Tablet STYLISTIC Q7311, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/tablets

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.

Copyright 2022 Fujitsu Technology Solutions GmbH

Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2023-01-02 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2022 Fujitsu Technology Solutions GmbH